Table of Contents

Using HTML in Wiki Text 3
How to Use HTML 3
More Information 3

Using HTML in Wiki Text

Trac supports inserting HTML into any wiki context, accomplished using the HTML WikiProcessor.

HTML support is built-in, and does not require installing any additional packages.

How to Use HTML

To inform the wiki engine that a block of text should be treated as HTML, use the *html* processor.

This example should explain:

```
#!html
<pre class="wiki"><code>
#!html
&lt;h1 style="text-align: right; color: blue"&gt;HTML Test&lt;/h1&gt;
```

</pre> </code>

Results in:

```
#!html
<h1 style="text-align: right; color: blue">HTML Test</h1>
```

Note that Trac sanitizes your HTML code before displaying it. That means that if you try to use potentially dangerous constructs such as Javascript event handlers, those will be removed from the output.

More Information

- http://www.w3.org/ – World Wide Web Consortium
- http://www.w3.org/MarkUp/ – HTML Markup Home Page

See also: WikiProcessors, WikiFormatting, WikiRestructuredText

From:
https://wiki.linux-ottawa.org/ - **Linux-Ottawa (OCLUG) Wiki**

Permanent link:
https://wiki.linux-ottawa.org/doku.php?id=wikihtml

Last update: **2015/06/09 19:23**